














POEM accessory list






for W+D 102			
	Reference	Description	Condition
	Ref. 3702	<u>W+D 102 latex back fold cylinder</u> Will require a compatibility check. Please let us have the serial no. of your W+D 102.	used
	Ref. 3720	<u>W+D 102 printing deck</u> printing unit for standard 102 stack printer	used
	Ref. 3738	<u>W+D 102 peel and seal unit</u> up-grade kit to modify existing W+D 102s to peel and seal (cold glue) can be up-graded to hotmelt	used
	Ref. 3723	<u>rotary profile cutting unit</u> to upgrade W+D 102 machines with fly-knife cutting unit	used




for W+D 202			
	Ref. 3703	<p><u>W+D 202 latex back fold cylinder</u></p> <p>Will require a compatibility check. Please let us have the serial no. of your W+D 202.00.</p>	used

for W+D 249			
	Ref. 3854	<p><u>W+D 249 Metronic printing unit</u></p> <p>Metronic doctor plate printing unit for W+D 249.</p> <p>Will require a compatibility check. Please let us have the serial no. of your W+D 249.</p>	used

for W+D 212/214/222/224			
	Ref. 3704	<p><u>UV-drying system</u></p> <p>for W+D 214, W+D 212, W+D 224, W+D 222 (IST) equipped with stand alone cabinet, equipped with integrated operating panel and fan, requires vacuum transport table.</p>	used, with new electrical cabinet
	Ref. 3705	<p><u>UV ink roller kit</u></p> <p>for W+D 214, W+D 212, W+D 224, W+D 222 for modification of machine for operation with UV inks.</p>	new
	Ref. 3707	<p><u>vacuum transport table</u></p> <p>for W+D 214, W+D 212, W+D 222, W+D 224</p>	used

for W+D 527/328			
	Ref. 3706	<u>2nd window patching unit</u> for W+D 527 and 328.	used
for W+D 627			
	Ref. 3721	<u>W+D 627 hotmelt peel and seal unit</u> up-grade kit to modify existing W+D 627 to hotmelt peel and seal with stand alone unwind unit	used
	Ref. 3790	<u>W+D 627 window unit</u> Parts to modify existing W+D 627 with window cutting and patching unit	used
for W+D 341GS			
	Ref. 3856	<u>Hotmelt peel and seal unit</u> Parts to modify existing W+D 341GS with hotmelt peel and seal unit	used

various machines			
	Ref. 3701	<p><u>tab inserter</u></p> <p>Can be used with various W+D envelope making machines e.g. W+D 102, W+D 527, W+D 627, W+D 328 etc.</p>	used
	Ref. 3708	<p><u>card inserting unit</u> <u>L 014.00.7501.0</u></p> <p>for the inserting of cards with a size of min. 100mm x 120mm, max. 120mm x 230mm</p>	new
	Ref. 3722	<p><u>vacuum and blowing air pumps</u></p> <p>Various models available including accessories and spare parts</p>	new and used
	Ref. 3724	<p><u>peristaltic pump system</u></p> <p>Can be connected to all machines with flexo printing units such as W+D 102, 202, 627 (improve print quality by avoiding air bubbles on screen roller)</p>	new
	Ref. 3751	<p><u>air cushion transport carriage</u></p> <p>required to load paper reels to the automatic paper splicer</p>	used

	<p>Ref. 3772</p>	<p><u>Butler automatic splicer</u> <u>RE 18/12 stand-alone splicer</u> <u>for window film</u></p> <p>for low to medium-speed machines (may require reduce speed function)</p> <p>Will require a compatibility check. Please let us have the serial no. of your machine.</p>	<p>cleaned, checked, repaired, tested at POEM workshop</p>
	<p>Ref. 3842</p>	<p><u>PIV – gear box</u> <u>complete with setting device</u> <u>and timing belt pulley</u> <u>for machines W+D 102, W+D</u> <u>202.00 and W+D 249</u></p>	<p>used</p>
		<p><u>W+D 36 Grinding unit for</u> <u>window- and seal flap</u> <u>gummers</u></p> <p>Suitable for rectangular:</p> <ul style="list-style-type: none"> - Window gummers - Window gummer segments - Cycled gumming rollers - Profiled window gummers 	<p>new</p>

for Stork Contiweb			
		<u>Lenze belt drive motor</u> various items available	used
		<u>EW HOF motor for dancer (web tension)</u> various items available	used
		<u>INAG controller for dancer drive (web tension)</u>	used
		<u>Lenze controller for belt drive</u>	used
		<u>Hitachi PLC</u>	used
		<u>side channel compressor for vacuum suction bar at splice unit</u>	used